

| L Number | Hits | Search Text | DB | Time stamp |
|----------|---------|--|------------------------|------------------|
| 1 | 268 | 360/324.12.ccls. | USPAT; | 2003/09/30 08:37 |
| | | | US-PGPUB; | |
| j | | | EPO; JPO; | |
| | | | DERWENT; | |
| | | | IBM_TDB | 2002/00/20 00 05 |
| 2 | 90 | 5408377.URPN. | USPAT | 2003/09/30 08:06 |
| 3 | 212 | 360/324.2.ccls. | USPAT; | 2003/09/30 08:38 |
| | | | US-PGPUB; EPO; JPO; | |
| | | | DERWENT; | |
| | | | IBM_TDB | |
| 4 | 527 | 360/324-325.ccls. and "free layer" | USPAT; | 2003/09/30 08:49 |
| | | , | US-PGPUB; | |
| | | | EPO; JPO; | |
| | | | DERWENT; | |
| | | | IBM_TDB | |
| 5 | 49 | (360/324-325.ccls. and "free layer") and ("hard magnetic film" or "hard | USPAT; | 2003/09/30 09:26 |
| | | ferromagnetic film") | US-PGPUB; | |
| | | | EPO; JPO; | |
| | | | DERWENT; | |
| | 2 | (#57/9071# #/407900# #3001/0030994# #3003/0049137#\ PNI | IBM_TDB | 2002/00/20 00 54 |
| 6 7 | 2 | ("5768071" "6407890" "2001/0020884" "2002/0048127").PN. | USPAT USPAT | 2003/09/30 08:54 |
| · | 11 | ("5018037" "5079035" "5739987" "5739990" "5849422" "5919580" "5919581" "5995338" "6020060" "6117570" "6266210").PN. | USPAT | 2003/09/30 09:25 |
| 8 | 232 | (360/324-325.ccls. and "free layer") and ("hard magnetic film" or "hard | USPAT; | 2003/09/30 09:41 |
| | 252 | ferromagnetic film" or "hard bias layer" or "hard layer") | US-PGPUB; | 2003/03/30 03.41 |
| | | i initial algorithm of the color of the colo | EPO; JPO; | |
| | | | DERWENT; | |
| | | | IBM TDB | |
| 9 | 62 | (360/324-325.ccls. and "free layer") and ("hard magnetic film" or "hard | USPĀT; | 2003/09/30 14:49 |
| | | ferromagnetic film" or "hard layer") | US-PGPUB; | |
| | | | EPO; JPO; | |
| | | | DERWENT; | |
| | | | IBM_TDB | |
| 10 | 173 | 360/324-325.ccls. and (magnetostatic\$5) | USPAT; | 2003/09/30 11:02 |
| | | | US-PGPUB; | |
| | | | EPO; JPO; DERWENT; | |
| | | | IBM_TDB | |
| 11 | 82 | (360/324-325.ccls. and "free layer") and (360/324-325.ccls. and | USPAT; | 2003/09/30 10:16 |
| | | (magnetostatic\$5)) | US-PGPUB; | 2003/03/30 10:10 |
| | | (| EPO; JPO; | |
| | | | DERWENT; | |
| | | | IBM_TDB | |
| 12 | 270 | 360/\$.ccls. and (magnetostatic\$5 near2 coupl\$3) | USPAT; | 2003/09/30 11:03 |
| | | | US-PGPUB; | |
| | | | EPO; JPO; | |
| | | | DERWENT; | |
| 12 | 77 | (2(0/011/ | IBM_TDB | 2002/00/20 12 55 |
| 13 | 77 | (360/\$.ccls. and (magnetostatic\$5 near2 coupl\$3)) and "free layer" | USPAT; | 2003/09/30 12:55 |
| | | | US-PGPUB; EPO; JPO; | |
| | | | DERWENT; | |
| | | | IBM_TDB | |
| 14 | 2 | 6175475.pn. | USPAT; | 2003/09/30 13:20 |
| | | · | US-PGPUB; | |
| | | | EPO; JPO; | |
| ļ | | | DERWENT; | |
| | | | IBM_TDB | |
| 15 | 0 | 606738.pn. and "hard" | USPAT; | 2003/09/30 13:20 |
| | | | US-PGPUB; | |
| | | | ЕРО; ЈРО; | |
| | | | DERWENT; | |
| | | | IBM_TDB | |

| Š | |
|---|--|
| | |

| 16 | 2 | 06111252.pn. | USPAT; | 2003/09/30 14:50 |
|----|-----|--|-----------|------------------|
| | | | US-PGPUB; | |
| | | | EPO; JPO; | |
| | | | DERWENT; | |
| | | | IBM TDB | |
| 17 | 60 | 360/324-325.ccls. and ("non magnetic layer" same "Ta") | USPAT; | 2003/09/30 15:17 |
| | | | US-PGPUB; | |
| | | | EPO; JPO; | |
| | | | DERWENT; | |
| | | | IBM_TDB | |
| - | 0 | 360/324.11.pn. | USPĀT; | 2003/09/29 19:00 |
| | | · | US-PGPUB; | |
| | | | EPO; JPO; | |
| | | | DERWENT; | |
| | | | IBM TDB | |
| - | 247 | 360/324.11.ccls | USPĀT; | 2003/09/29 19:00 |
| | | | US-PGPUB; | |
| | | | EPO; JPO; | |
| | i i | | DERWENT; | |
| | | | IBM_TDB | |
| - | 247 | 360/324.11.ccls. | USPAT; | 2003/09/29 19:16 |
| | | | US-PGPUB; | |
| | | | EPO; JPO; | |
| | ļ | | DERWENT; | |
| | | · | IBM_TDB | |
| - | 2 | 5408377.pn. | USPAT; | 2003/09/29 19:11 |
| | 1 | | US-PGPUB; | |
| | | | EPO; JPO; | |
| | | | DERWENT; | |
| | | | IBM_TDB | |
| - | 268 | 360/324.12.ccls. | USPAT; | 2003/09/30 06:36 |
| | | | US-PGPUB; | |
| | | | EPO; JPO; | |
| | | | DERWENT; | |
| | | | IBM_TDB | |
| - | 89 | 5408377.URPN. | USPAT | 2003/09/29 19:59 |

IEEE HOME ! SEARCH IEEE | I SHOP | WEB ACCOUNT | | CONTACT IEEE

4, July 1998

Page(s): 1063 -1065



| Welcome United States Patent and Trademark Office Help FAQ Quick Links Terms IEEE Peer Review Welcome United States Patent and Trademark Office **Search Results** Results Your search matched 5 of 972494 documents. O- What Can I Access? O- Log-out A maximum of 5 results are displayed, 25 to a page, sorted by Relevance in explain. | Membership Public | cations/Services Standards Conferences Careers/Jobs | | | | |
|--|---|---|--|--|--|--|
| Terms IEEE Peer Review Welcome to IEEE Xplore O- Home O- What Can I Access? O- Log-out A maximum of 5 results are displayed, 25 to a page, sorted by Relevance in Can I Amaximum of 5 results are displayed, 25 to a page, sorted by Relevance in Can I Amaximum of 5 results are displayed, 25 to a page, sorted by Relevance in Can I Amaximum of 5 results are displayed, 25 to a page, sorted by Relevance in Can I Amaximum of 5 results are displayed, 25 to a page, sorted by Relevance in Can I Amaximum of 5 results are displayed, 25 to a page, sorted by Relevance in Can I Amaximum of 5 results are displayed, 25 to a page, sorted by Relevance in Can I Amaximum of 5 results are displayed, 25 to a page, sorted by Relevance in Can I Amaximum of 5 results are displayed, 25 to a page, sorted by Relevance in Can I Amaximum of 5 results are displayed, 25 to a page, sorted by Relevance in Can I Amaximum of 5 results are displayed, 25 to a page, sorted by Relevance in Can I Amaximum of 5 results are displayed, 25 to a page, sorted by Relevance in Can I Amaximum of 5 results are displayed, 25 to a page, sorted by Relevance in Can I Amaximum of 5 results are displayed, 25 to a page, sorted by Relevance in Can I Amaximum of 5 results are displayed, 25 to a page, sorted by Relevance in Can I Amaximum of 5 results are displayed, 25 to a page, sorted by Relevance in Can I Amaximum of 5 results are displayed. | IEEE | | | | | |
| Terms IEEE Peer Review Welcome to IEEE Xplore* O- Home O- What Can I Access? O- Log-out A maximum of 5 results are displayed, 25 to a page, sorted by Relevance in Can I Access? | | Results | | | | |
| Welcome to IEEE Xplore O- Home O- What Can I Access? O- Log-out A maximum of 5 results are displayed, 25 to a page, sorted by Relevance in Can | | <u>Peer</u> | | | | |
| O-What Can I Access? O-Log-out A maximum of 5 results are displayed, 25 to a page, sorted by Relevance in 6 | | | | | | |
| , | O- What Can | | | | | |
| 01(12) | - | A maximum of 5 results are displayed, 25 to a page, sorted by Relevance in d order. | | | | |
| Tables of Contents | O- Journals & Magazines O- Conference | You may refine your search by editing the current search expression or entering the text box. | | | | |
| O- Standards ((magnetostatic)and (free layer)) | | ((magnetostatic)and (free layer)) | | | | |
| O- By Author Search Again | O- By Author | Search Again | | | | |
| O- Basic O- Advanced Results: Journal or Magazine = JNL Conference = CNF Standard = STD O- Join IEEE | O- Advanced Member Services | | | | | |
| O- Establish IEEE Web Account 1 Tunnel-valve and spin-valve structures with | | 1 Tunnel-valve and spin-valve structures with | | | | |
| O-Access the IEEE Member Digital Library Childress, J.R.; Ho, M.; Fontana, R.E.; Rice, P.M.; Carey, M.J.; Gurney, B.A.; Tsang, C.; Magnetics Conference, 2002. INTERMAG Europe 2002. Digest of Technical Papers. 2002 IEEE | IEEE Member Digital Library | in situ in-stack bias Childress, J.R.; Ho, M.; Fontana, R.E.; Rice, P.M.; Carey, M.J.; Gurney, B.A.; Tsang, C.; Magnetics Conference, 2002. INTERMAG Europe 2002. Digest of Technical Papers. 2002 IEEE | | | | |
| International , 28 April-2 May 2002 Page(s): CA8 | | · | | | | |
| [Abstract] [PDF Full-Text (244 KB)] IEEE CNF | | [Abstract] [PDF Full-Text (244 KB)] IEEE CNF | | | | |
| 2 Characteristics of AP bias in spin valve memory elements | | memory elements | | | | |
| Zhu, JG.; Zheng, YF.; Magnetics, IEEE Transactions on , Volume: 34 Issue: | | | | | | |

1 of 3



[Abstract] [PDF Full-Text (328 KB)] IEEE JNL

3 Unshielded spin valve heads exchange biased by synthetic antiferromagnets

Leal, J.L.; Kryder, M.H.;

Magnetics, IEEE Transactions on , Volume: 35 Issue:

2, March 1999

Page(s): 800 -805

[Abstract] [PDF Full-Text (416 KB)] **IEEE JNL**

4 Magnetostatic coupling in spin dependent tunnel junctions

Dexin Wang; Daughton, J.M.; Reed, D.; Wang, W.D.; Jian-Qing Wang;

Magnetics, IEEE Transactions on , Volume: 36 Issue:

5 , Sept 2000

Page(s): 2802 -2805

[Abstract] [PDF Full-Text (84 KB)] IEEE JNL

5 **Spin-valve and tunnel-valve structures with** in situ in-stack bias

Childress, J.R.; Ho, M.K.; Fontana, R.E.; Carey, M.J.; Rice, P.M.; Gurney, B.A.; Tsang, C.H.;

Magnetics, IEEE Transactions on , Volume: 38 Issue:

5 , Sept. 2002

Page(s): 2286 -2288

[Abstract] [PDF Full-Text (211 KB)] IEEE JNL



Home | Log-out | Journals | Conference Proceedings | Standards | Search by Author | Basic Search |
Advanced Search

Join IEEE | Web Account | New this week | OPAC Linking Information | Your Feedback | Technical Support | Email Alerting

No Robots Please | Release Notes | IEEE Online Publications | Help | FAQ | Terms | Back to Top

Copyright © 2003 IEEE — All rights reserved



IEEE HOME ! SEARCH IEEE | SHOP | WEB ACCOUNT | CONTACT IEEE



| Membership Publi | ications/Services Standards C | onferences Careers/Job | s | | |
|---|---|---|--------------------------------------|--|--|
| EEE | Xplore® u | nited States Pa | Welcome | ademark Office | |
| Help FAQ Terms IEEE Review Welcome to IEEE Xplore | Quick Links Peer | | <u>-</u> | » Search Results | |
| - Home - What Can I Access? - Log-out Tables of Contents - Journals & Magazines - Conference Proceedings - Standards Search | order. | esults are display search by editir | red, 15 to a page the current | page, sorted by Rele et search expression o | |
| O- By Author O- Basic O- Advanced Member Services O- Join IEEE | Search Again Results: Journal or Magazine | = JNL Confere | ence = CNF | Standard = STD | |
| C Establish IEEE Web Account C Access the IEEE Member Digital Library Print Format | 1 Magnetostat valve structure Jyh-Shinn Yang, Magnetics, IEEE 5 , Sept. 1998 Page(s): 2469 - | es : Lee, J.; Chin : Transactions | g-Ray Char | ng; | |

[Abstract] [PDF Full-Text (320 KB)] IEEE JNL

2 Effect of magnetostatic coupling between free and reference layers on the thermal stability of synthetic spin valves

Hae Seek Cho; Tang, M.; Qing He; Xue, S.S.; Magnetics, IEEE Transactions on , Volume: 36 Issue: 5 , Sept 2000

Page(s): 2863 -2865



[Abstract] [PDF Full-Text (56 KB)] **IEEE JNL**

3 Tunnel-valve and spin-valve structures with in situ in-stack bias

Childress, J.R.; Ho, M.; Fontana, R.E.; Rice, P.M.; Carey, M.J.; Gurney, B.A.; Tsang, C.; Magnetics Conference, 2002. INTERMAG Europe 2002. Digest of Technical Papers. 2002 IEEE International, 28 April-2 May 2002 Page(s): CA8

[Abstract] [PDF Full-Text (244 KB)] **IEEE CNF**

4 On the ferromagnetic interlayer coupling in exchange-biased spin-valve multilayers

Kools, J.C.S.; Rijks, T.G.S.M.; De Veirman, A.E.M.; Coehoorn, R.;

Magnetics, IEEE Transactions on , Volume: 31 Issue:

6, Nov. 1995

Page(s): 3918 -3920

[Abstract] [PDF Full-Text (432 KB)] **IEEE JNL**

5 Interlayer coupling in spin valve structures

Leal, J.L.; Kryder, M.H.;

Magnetics, IEEE Transactions on , Volume: 32 Issue:

5 , Sept. 1996

Page(s): 4642 -4644

[Abstract] [PDF Full-Text (336 KB)] **IEEE JNL**

6 Interlayer coupling and surface roughness in GMR spin valves

Wei, D.; Bertram, H.N.;

Magnetics, IEEE Transactions on , Volume: 32 Issue:



5, Sept. 1996

Page(s): 3434 -3436

[Abstract] [PDF Full-Text (284 KB)] IEEE JNL

7 Micromagnetic simulations of magnetoresistive behavior of sub-micrometer spin-valve MRAM devices

Oti, J.O.; Russek, S.E.;

Magnetics, IEEE Transactions on , Volume: 33 Issue:

5, Sept. 1997

Page(s): 3298 -3300

[Abstract] [PDF Full-Text (364 KB)] **IEEE JNL**

8 Single-domain model for pseudo spin valve MRAM cells

Everitt, B.A.; Pohm, A.V.;

Magnetics, IEEE Transactions on , Volume: 33 Issue:

5, Sept. 1997

Page(s): 3289 -3291

[Abstract] [PDF Full-Text (272 KB)] IEEE JNL

9 Characteristics of AP bias in spin valve memory elements

Zhu, J.-G.; Zheng, Y.-F.;

Magnetics, IEEE Transactions on , Volume: 34 Issue:

4, July 1998

Page(s): 1063 -1065

[Abstract] [PDF Full-Text (328 KB)] IEEE JNL



10 Magnetic switching in 100 nm patterned pseudo spin valves

Castano, F.J.; Hao, Y.; Haratani, S.; Ross, C.A.; Vogeli, B.; Walsh, M.; Smith, H.I.; Magnetics, IEEE Transactions on , Volume: 37 Issue: 4 , July 2001

Page(s): 2073 -2075

[Abstract] [PDF Full-Text (70 KB)] **IEEE JNL**

11 Effects of the shape anisotropy on the giant magnetoresistance properties

Kim, K.Y.; Lim, S.H.; Park, G.S.; Blamire, M.H.; Evetts, J.E.; Magnetics, IEEE Transactions on Volume: 37 Issue:

5, Sept. 2001

Page(s): 3332 -3335

[Abstract] [PDF Full-Text (76 KB)] **IEEE JNL**

12 Magnetostatic coupling in spin dependent tunnel junctions

Dexin Wang; Daughton, J.M.; Reed, D.; Wang, W.D.; Jian-Qing Wang;

Magnetics, IEEE Transactions on , Volume: 36 Issue:

5 , Sept 2000

Page(s): 2802 -2805

[Abstract] [PDF Full-Text (84 KB)] IEEE JNL

13 Effect of magnetostatic coupling between the free and reference layers on the thermal stability of spin valves with synthetic antiferromagnetic layers

Hae Seok Cho; Tang, M.; Qing He; Song S. Xue;



Magnetics Conference, 2000. INTERMAG 2000 Digest of Technical Papers. 2000 IEEE International, April 9-13, 2000

Page(s): 116 -116

[Abstract] [PDF Full-Text (84 KB)] **IEEE CNF**

14 Spin-valve and tunnel-valve structures with in situ in-stack bias

Childress, J.R.; Ho, M.K.; Fontana, R.E.; Carey, M.J.; Rice, P.M.; Gurney, B.A.; Tsang, C.H.; Magnetics, IEEE Transactions on , Volume: 38 Issue:

5, Sept. 2002

Page(s): 2286 -2288

[Abstract] [PDF Full-Text (211 KB)] IEEE JNL

Home | Log-out | Journals | Conference Proceedings | Standards | Search by Author | Basic Search | Advanced Search

Join IEEE | Web Account | New this week | OPAC Linking Information | Your Feedback | Technical Support | Email Alerting

No Robots Please | Release Notes | IEEE Online Publications | Help | FAQ | Terms | Back to Top

Copyright © 2003 IEEE — All rights reserved